Food Preparation & Nutrition

Yr8 Food - Term 3/ Summer



Sensory Evaluation

Judging food based on appearance, taste and texture. All our senses -Sight, sound, smell, taste and touch work together and send signals to our brain that tells us what our food tastes like. Food producers use sensory evaluation to:

- Checks that a product meets expectations Eg: has the correct appearance, texture, aroma and taste
- Makes sure that a food product compares to other similar products such as a competitor's product
- Checks on the quality and shelf life of a product.

Taste buds detect the five elements of taste which make up the flavour of food.



Umami is a taste that is described as savoury or meaty

Vegetarian Diets

Lacto - ovo vegetarian: eat dairy foods and eggs but not meat or fish Lacto - vegetarian: eat dairy foods but not eggs, meat or fish Vegan: do not need any animal produce including honey

Reasons for following a vegetarian diet include:

Not liking animals being killed for food, unhappy with animal welfare/factory farming, religious beliefs, perceived to be healthier, cheaper, disliking the texture flavour of meat and environmental concerns

Deficiency alert! People who do not eat meat and fish can easily lack iron and vitamin B12 in their diet and can overeat cheese and cheese products that are high in fat.

Vegans must eat a wide range of vegetable proteins such as wholegrains, pulses and nuts to make sure that they are including enough protein in their diet.





Culture & religion

Traditional food is influenced by the area's climate and geography People eat or avoid certain foods due to their religious beliefs

- Jews kosher food
- Muslims halal food
- Sikhs no beef/ pork
- Hindus vegetarian
- **Buddhist** vegan diet





Nutritional needs vary according to

- Age
- Gender
- Activity level
- Overall health





Diabetes type 2 Insulin resistance body can't use glucose





Allergies & intolerances There are 14 main food allergens





Intolerance to the protein (gluten) found in wheat, rye, barley & oats





Cardiovascular **Disease**

Obesity can lead to high blood pressure and blocked arteries





Food Preparation & Nutrition Yr8 Food - Term 3/ Summer



Food Allergy	Food Intolerance
This is when the body's immune system reacts unusually to specific foods. Although allergic reactions are often mild, they can be very serious	This is much more common than food allergy and is not caused by the immune system .

The onset of food intolerance symptoms is usually slower and may be delayed by many hours after eating the offending food. The symptoms may also last for several hours, into the next day, and sometimes longer.

Labelling

Within the European Union, any of the 14 foods listed below need to highlighted in the ingredients list when used in a pre-packed food – f example in bold or capitals.

Cereals containing gluten – for example wheat, barely and rye Crustaceans – for example lobster and crab Lupin (type of legume)

Molluscs – for example mussels and oysters

Nuts – for example almonds, hazelnuts, walnuts, pistachios and Cash Sulphur dioxides and sulphites (preservatives used in some foods and

MOLLUSCS

drinks, specially cooked meats)

K

Α

N

n	Allergy	Food type
	Nut allergy Aner Alaxis	Nuts and Peanuts.
,	Eggs	Eggs and other Food containing egg in the ingredients
o be for	Fish	Fish and other Food containing fish in the ingredients
d	Lactose intolerance	Cow's Milk
uts		

Allergy	Food type	Facts	Symptoms The symptoms of a food allergy almost always develop a few seconds or minutes after eating the food.	Treatment
Nut allergy Aner Alaxis	Nuts and Peanuts.	This can be life-threatening.	Symptoms often occur quickly after coming into contact with nuts: Difficultly breathing, vomiting, dizziness and a rapid heartbeat.	If someone has a reaction to nuts their body may go into anaphylactic shock. The sufferer should be treated with an injection of adrenaline (EpiPen) and an ambulance should be called immediately.
Eggs	Eggs and other Foods containing egg in the ingredients	Egg is a common food that people are allergic to, especially children. Sometimes children with an allergy to eggs grow out of it.	Symptoms include: tingling or itching in the mouth a raised, itchy red rash hives — in some cases, the skin can turn red and itchy, but without a raised rash swelling of the face, mouth angioedema. throat or other areas of the body difficulty swallowing wheezing or shortness of breath Feeling dizzy and lightheaded feeling sick (nausea) or vomiting abdominal pain or diarrhea Hay-fever like symptoms, such as sneezing or itchy eyes.	There are 2 main types of medication that can be used to relieve the symptoms of an allergic reaction to foods antihistamines – used to treat mild to moderate allergic reaction adrenaline – used to treat severe allergic reactions anaphylaxis.
Fish	Fish and other Foods containing fish in the ingredients	People who are allergic to fish are often advised by their doctor to avoid all fish.		
Lactose intolerance	Cow's Milk	Lactose intolerance is an adverse reaction to cow's milk. People may suffer this adverse reaction because the protein component of milk is not tolerated or because the milk sugar, called lactose, is not tolerated. If a person is unsure which component of milk they do not tolerate, then it is preferable to avoid both and to follow a milk-free diet. This would mean avoiding not only cow's milk, but all other animal milks such as sheep, goat and buffalo etc	Stomach pain and bloating Diarrhea Increased gas Constipation Other Symptoms pay include: Headaches Fatigue Loss of concentration Muscle and joint pain Mouth ulcers Problems urinating Eczema	Changing your diet - making sure you choose foods and drink that do not contain lactose.